
A MONTHLY PUBLICATION OF DIABETIC ASSOCIATION OF PAKISTAN

Diabettes Digest

DIABETES CONCERNS EVERY FAMILY





THE FAMILY AND DIABETES

DIABETIC ASSOCIATION OF PAKISTAN

BOARD OF MANAGEMENT

PATRON:

Illahi Bukhsh Soomro

President:

Mian Mukhtar Ahmed

Vice Presidents:

Mr Hamid Imtiaz Hanfi Mr Abdul Sattar Aboobaker Pardesi Mr Abdul Sattar Usman

Secretary General:

Prof A. Samad Shera T.I., S.I. FRCP

Joint Secretary:

Prof Abdul Basit

Treasurer:

Mr Hashim Usman

Managing Committee:

Mr Muhammad Ismail Baboo
Dr Iftikhar Ahmed Khawaja
Prof Tariq Bhutta
Dr Naimatullah Ghichki
Prof S. A. Jaffer Naqvi
Prof Muhammad Saleh Memon
Dr Jamil Ashfaq

Dr Jamil Ashfaq Mr Muhamamd Javed Mr Sohail Ahmed Khan Dr Asher Fawwad

Diabetes Digest

Vol. 31 No. 11 NOVEMBER 2018



Chief Editor: Prof. A. Samad Shera

Editor : Dr. S. Wakeel Hussain Abidi

	Contents	Page No.
Children's Page	5	
Key Messages (IDF)	8	

All Enquiries: Diabetic Association of Pakistan

5-E/3, Nazimabad, Karachi-74600.

Ph : 92-21-36616890, 36680959, 36613578 E-Mail : dapkhi@cyber.net.pk, dapkarachi@gmail.com

Web Site: www.dap.org.pk

Published by: Prof. A. Samad Shera, Printed at Siddiqi Printing Corp.

5-E/3, Nazimabad, Karachi-74600.

Ph : 36620302

E-mail : siddiqiprintingcorporation@yahoo.com

Declaration No. 285/88 May 31, 1988

Diabetes Digest Rs. 50/- Per Month Annual Subscription Rs. 500/- only Payment by Cash / Pay order / Bank Draft To Diabetic Association of Pakistan

WORLD DIABETES DAY, 2018

SUNDAY 18TH NOVEMBER, 2018

Theme: The Family and Diabetes.

Venue: Hotel Regent Plaza Karachi.

Details From: Diabetic Association of Pakistan and

WHO Collaborating Centre, Nazimabad, Karachi.

Tel: 36616890 Fax: 36680959

E-mail: dapkhi@cyber.net.pk

MESSAGE



Prof A. Samad Shera, FRCP 'Sitara-e-Imtiaz', 'Tamgha-e-Imtiaz'

Secretary General, Diabetic Association of Pakistan, Honorary President, International Diabetes Federation (IDF), Director, WHO Collaborating Centre for "Treatment, Education and Research in Diabetes and Diabetic Pregnancies", Karachi – Pakistan, National Co-ordinator for Diabetes Prevention and Control Programme, Founding President, Diabetes in Asia Study Group (DASG).

The International Diabetes Federation (IDF) and World Health Organisation (WHO) are holding World Diabetes Day (WDD) since 1991 in response to growing concerns about the escalating threat of diabetes worldwide. World Diabetes Day became an official United Nations Day in 2006.

The theme of the World Diabetes Day for 2018 is "The Family and Diabetes". 2018 World Diabetes Day campaign will focus on to promote the role of Family in the prevention, management, care and education about diabetes.

Diabetes is one of the major health challenges of this century. Currently over 425 million people are living with diabetes. One in every two person with this condition is undiagnosed. It is well documented that type 2 diabetes runs in families. Diabetes can affect entire family in particular blood relatives, so awareness about risk factors is mandatory to detect it early. Early detection, timely intervention and regular follow-ups will help in preventing serious and life threatening complications of diabetes.

Type 1 diabetes cannot be prevented but 80% of type 2 diabetes is preventable by achieving and maintaining a healthy body weight through proper diet and physical activity. All individuals and families should be empowered with education and ongoing support to prevent type 2 diabetes and manage diabetes in their families.

Keep eye on diabetes. Do not wait. Act now.

- Eat less, Walk more.
- Encourage whole family for healthy dietary habits.
- Avoid obesity at all cost.

WORLD DIABETES DAY Sunday, November 18, 2018 Theme: People with Diabetes and Public SCIENTIFIC SESSION

Welcome Prof A. Samad Shera

Life Style Management and Diabetes Prof Zaman Shaikh

Role of oral Hypoglycaemic agents in the Management of Type 2 Diabetes Prof Muhammad Yakoob Ahmedani

Insulin Therapy Prof A. Samad Shera

Management of Hyperglycaemia in Pregnancy Prof Shabeen Naz Masood

National Diabetes Survey & National Guidelines Dr. Asher Fawwad

Inauguration of the Exhibition Refreshemnt.

OPEN SESSION For People with Diabetes and Public

03:00 PM Exhibition open to Public


03:30 PM Open Session for People with Diabetes and Public

Panelists: Prof A. Samad Shera, Prof Zaman Shaikh & Prof Shabeen Naz

Masood

05:15 PM Refreshment





Dear Children "Friends of Diabetes"

Today we are going to analyse the brighter aspects of diabetes. You do not need to be discriminated from your friends who do not have diabetes. You are as active and smart as any other child. We got the gift of insulin which has made life normal for the diabetics. Food restrictions are not so harsh and a liberal diet is permitted. Life is much more disciplined which leads to better health. You study, play, rest and eat. In the vacations you can go for a trip or stay home and indulge in in your hobbies.


Life can be fun even with diabetes if you try and be good. So enjoy your days and lookafter yourself. Be disciplined with your daily activities of insulin, meals, sports and rest. Don't forget the blood glucose testing which is also important.

Keep smiling and take care of yourself.









THE POSITIVE ASPECTS OF DIABETES

A good blood glucose control can work wonders as:

- It keeps you fit and fine.
- You do well in school and exams
- You can participate in games and even with trophies.
- You grow normally in height
- You do not put on excess weight
- You can enjoy your work, play and studies
- You glow with health.

Let us all pledge and try our best to have an excellent glycaemic control!





ACCU-CHEK' Instant S

Roche

Clever ideas can be so simple!

New

No set up

Results with in 4 sec.


1-button navigation

Easy edge blood dosing

Advanced accuracy

Connectivity via USB









Your effortless choice.

Street Street & Property Associated of a River Continue Managering System for the Continue of

For further information call: 0800-ROCHE (76243

ACCU-CHEK and ACCU-CHEK INSTANT'S are

www.accu-chek.com.pk

Roche Pakistan Limited 39-C/1,Block-6, P.E.C.H.S P.O. Box 20021, Karachi - 75400.

ACCU-CHEK®

WORLD DIABETES DAY 2018 KEY MESSAGES

The primary aim of the World Diabetes Day 2018–19 campaign is to raise awareness of the impact that diabetes has on the family and to promote the role of the family in the management, care, prevention and education of the condition.

There are three main focus areas:

- Discover diabetes
- Prevent diabetes
- Manage diabetes

Detecting diabetes early involves the family too

- One in every two people with diabetes is undiagnosed. Early diagnosis and treatment is key to helping prevent or delay life-threatening complications.
- If type 1 diabetes is not detected early, it can lead to serious disability or death. Know the signs and symptoms to protect yourself and your family.



1-IN-2 PEOPLE WITH DIABETES (212 MILLION) REMAIN UNDIAGNOSED



DIABETES IS A LEADING CAUSE OF HEART DISEASE, STROKE, BLINDNESS, KIDNEY FAILURE AND LOWER LIMB AMPUTATION


Preventing type 2 diabetes involves the family too

- Many cases of type 2 diabetes can be prevented by adopting a healthy lifestyle. Reducing your family's risk starts at home.
- When a family eats healthy meals and exercises together, all family members benefit and encourage behaviours that could help prevent

type 2 diabetes in the family.

- If you have diabetes in your family, **learn about** the risks, the warning signs to look out for and what you can do to prevent diabetes and its complications.
- Families need to live in an environment that supports healthy lifestyles and helps them to prevent type 2 diabetes.







70% OF PREMATURE DEATHS AMONG ADULTS ARE LARGELY DUE TO BEHAVIOUR INITIATED DURING ADOLESCENCE

Caring for my diabetes involves my family too

- Managing diabetes requires daily treatment, regular monitoring, a healthy lifestyle and ongoing education. Family support is key.
- All health professionals should have the knowledge and skills to help individuals and families manage diabetes.
- Education and ongoing support should be accessible to all individuals and families to help manage diabetes.
- Essential diabetes medicines and care must be accessible and affordable for every family.





1 IN 5 HEALTH PROFESSIONALS DO NOT RECEIVE ANY POSTGRADUATE TRAINING IN DIABETES

World Diabetes Day 2018

2019 is The Family and Diabetes.

The campaign will aim to:

- Raise awareness of the impact that diabetes has on the family and support network of those affected.
- Promote the role of the family in the management, care, prevention and education of diabetes.

Over 425 million people are currently living with diabetes. Most of these cases are type 2 diabetes, which is largely preventable through regular physical activity, a healthy and balanced diet, and the promotion of healthy living environments. Families have a key role to play in addressing the modifiable risk factors for type 2 diabetes and must be provided with the education, resources and environments to live a healthy lifestyle.

1 in 2 people currently living with type 2 diabetes is undiagnosed. Early diagnosis and treatment are key to prevent the complications of diabetes and achieve healthy outcomes. All families are potentially affected by diabetes and so awareness

The theme for World Diabetes Day 2018 and of the signs, symptoms and risk factors for all types of diabetes are vital to help detect it early.

> Diabetes can be expensive for the individual and family. In many countries, the cost of insulin injection and daily monitoring alone can consume half of a family's average disposable income, and regular and affordable access to essential diabetes medicines are out of reach for too many. Improving access to affordable diabetes medicines and care is therefore urgent to avoid increased costs for the individual and family, which impact on health outcomes.

> Less than 1 in 4 family members have access to diabetes education programmes. Family support in diabetes care has been shown to have a substantial effect in improving health outcomes for people with diabetes. It is therefore important that ongoing diabetes self-management education and support be accessible to all people with diabetes and their families to reduce the emotional impact of the disease that can result in a negative quality of life.









OUR RIGHT TO A HEALTHY FUTURE





Getz



Proven Protection & Powerful Blood Pressure Control






[Vildagliptin+Metformin HCI] 50+850mg | 50+1000mg

> Effective & Circadian Glycemic Control







Surge Laboratories is a leading pharmaceutical manufacturer, focused to provide high quality microencapsulated API's & Excipients through its cGMP compliant manufacturing facility.

Surge facility is equipped with latest microencapsulation technology and wide range of high quality microencapsulated API's/Excipients are successfully manufactured at all levels (Development, Commercial and Bulk Production).

Reline

(Sertraline) 50mg & 100mg Tablets

Recommended treatment for Major Depressive Disorder

Rapid onset of action

Established safety and efficacy in cardiac patients

Simple dosage schedule

Shows good patient compliance



PRENEU Pregabalin 50mg, 75mg, 100mg & 150mg



Preneu (Pregabalin) is1st line of treatment in Diabetic Peripheral Neuropathy


Preneu (Pregabalin) provides great improvement in pain & quality of sleep

Preneu (Pregabalin) has excellent efficacy, safety and tolerability

Preneu (Pregabalin) is available at affordable price.









ذیابیطس: خطرے کے امکانات









غيرصحت مندغذاء



ورزش كافقدان



خاندان میں کسی کوشوگر کا مرض (موروثی)



بلندفشارخون







یہ پیغام ایڈمٹ بنانے والے ادارے شائیگان فار ماسیوٹیکزنے مفادعامہ کے لئے شائع کیا ہے۔

DIABETIC NEUROPATHY

Neurogen

L-methylfolate/P-5-P/Me-Cbl

Lingab

Pregabalin

25mg,50mg,75mg,100mg,150mg,300mg

Dobalta

Ouloxetine Hydrochloride 20mg, 30mg, 60mg











Martin Dow Limited

Plot No. 37, Sector 19, Korangi Industrial Area, Karachi - 74900, Pakistan UAN : 92 21 111 111 637 Fax : 92 21 350 605 41 URL : www.martindow.com



MDUDUVEL/2018-NOV/783





FDA Approved Indications:

- Diabetic Peripheral Neuropathic Pain
- Major Depressive Disorder
- Fibromyalgia
- Chronic Low Back Pain or Pain due to osteoarthritis
 - Recommended first line treatment for DPNP by various societies
 - Zuloxet effectively treats the emotional and painful physical symptoms
 - Zuloxet provides rapid improvement in depression symptoms
 - Zuloxet has good tolerability profile
 - Zuloxet has convenient once daily dosage

DOSAGE

Starting Dose: 30 mg/ day
 Target dose: 60 mg/ day
 Maximum dose: 60 mg/ day







BOARDING TOGETHER... TRULY ONCE DAILY

Therapy of Diabetes Management

XORMET XR

(Metformin HCI Extended Release) 500 mg, 1000 mg

with



(Sitagliptin) 25mg, 50mg, 100mg







Circle of Life with **NEXT FAMILY**



Oxidative stres Weight gain

Hypoglycemia

Hyperglycemia Diabetes II

Glucose variability

Prevent the Complications of Diabetes



Sitagliptin + Metformin



Manufactured by: NEXT Pharmaceutical Products (Pvt.) Ltd.









Mithas Ko Nahin Calories Ko Karein Bye



- Low Calorie Sugar Alternative
- Ideal for Weight-watchers
- Trusted in over 20 Countries
- Preferred Choice for Diabetics

with Canderel





GLIMPSES WORLD DIABETES DAY 2017



The Audience of Doctors



Opening the Pharmaceutical Exhibition



The Panelists of the Public Session



The Audience of People with Diabetes

[70% human insulin isophane suspension 30% human insulin injection (rDNA origin)

100 IU/ML: Vial for inj . 10 ml and 5 x 3 ml Cartridge

The Trusted, Simple Solution



Humulin® 70/30





HumaPen® Ergo II





www.lillyrahnuma.com 0800-LILLY (54559)



Full prescribing information is available on request

Eli Lilly Pakistan (Private) Limited


5-A, 5th Office Floor, Al-Tijarah Centre 32-1-A, Block 6, PECHS Main Shahra-e-Faisal, Karachi-75400 www.lilly.com.pk/your-health



HU08175308

On·Call®

Blood Glucose Monitoring System



Extra Accuracy, Extra Control

- Reliable testing with clinically proven accuracy
- Fast 4 second testing
- Small 0.4 µl sample
- Re-apply a second drop of blood within 3 Seconds to avoid wasted strips
- Hypo, hyper and ketone warnings alert users to take necessary actions









Diabetes Care



POPULAR INTERNATIONAL (PVT) LTD.

141, Justice Inamullah Road, Block 7 & 8, K.M.C.H.S., Near Hill Park, Karachi-74800

Head Office:

Phones: 92-21-34524827, 34547654, 34389277

Telefax: 92-21-34546141

E-mail: popular@popularintl.com Web : http://www.popularintl.com

BRANCHES

LAHORE:

2-C Masson Road, Lahore.

Tel: 36307902, 36307903

: 36315823 Fax: 042-36302226

RAWALPINDI:

880-F, Satellite Town,

Tel: 4413713, 4410280

44580734

Fax: 051-4453421

PESHAWAR:

17-D. Gul Plaza.

Charsadda Road,

Peshawar.

Ph : 2248258, 2040873

QUETTA:

Banglow No. 4, Dr.

Ghulam Nabi Road,

Near Global Plaza,

Quetta Cantt. Tel: 2827055, 2825203

HYDERABAD:

Bungalow No. 89/C, Unit 7-D, Latifabad,

Hyderabad

Ph: 022-3817182, 022-3817181

MULTAN:

House No. 305, Ward No. 8,

Ghous e Azam Road,

Multan.

FAISALABAD:

Army Quarter 8, Street 2, Block X, Madina Town,

Faisalabad.

Ph: 061-4571327, 061-4783774 Ph : 041-8403058, 041-8713058

Life is progressive...
So is Diabetes !!!




Violip—M 50mg / 500mg / 50mg / 850mg / 50mg / 1000mg Tablets

(Vildagliptin+Metformin HCI)

A Trusted Companion for type 2 diabetic patients

- ➤ Powerful HbA1C reduction
- No significant change in body weight
- Improvement in patient's compliance
- No increase in the incidence of hypoglycemia





ADVERTISEMENT

TECHNICAL DATA Overall size 29.5cm x 21 cm	Insertion rate for extra leaf & position	
Printed size	Insert (both sides) Rs.10,000	
Circulation 3000	Back cover Rs. 10,000	
ADVERTISEMENT RATES	Inside front cover Rs. 8,000	
Per insertion	Inside back cover Rs. 6,000	
Ordinary full page Rs. 5,000 Ordinary half page Rs. 2,500	25% extra for each colour impression	
Ordinary quarter pageRs. 1,300	Agency commission 15%	
	Special discount on yearly contract	

Read Diabetes Digest

(A Monthly Publication of Diabetic Association of Pakistan and W.H.O. Collaborating Centre)

Annual Subscription for 12 issues Rs. 500/- only (By Book Post)

For Payments in Cash/Pay order/Bank Drafts favouring Diabetic Association of Pakistan, Contact 5-E/3 Nazimabad, Paposh Nagar, Karachi. Ph: 36680959, 36616890

YOU HAVE TYPE 1 DIABETES

WHAT IS TYPE 1 DIABETES?

Type 1 Diabetes is raised blood sugar due to absence of insulin, pancreatic hormone. Deficiency of insulin prevents the body from utilizing sugar in the normal way. Sugar is the main source of energy for our body functions. In diabetes blood sugar levels rise but the cells starve because insulin is necessary to get this sugar into the cells and it is lacking.

HOW IT IS CAUSED?

There is a hereditary tendency, which may be triggered by a virus. This causes the immune system of the body to destroy the insulin producing cells in the pancreas thus leading to a deficiency of insulin.

CAN DIABETES BE CAUSED BY EATING TOO MANY SWEETS?

This is not true. Don't blame yourself for doing things for acquiring diabetes. It is the failure of insulin production which causes diabetes.

WILL DIABETES GO AWAY?

Unfortunately diabetes comes to stay. But that is not the end of the world. The daily insulin injections will make you feel well. You will be able to do all your routine work of school. You can play, meet friends and attend social functions as usual.

REMEMBER!

TO FEEL WELL AND NORMAL YOU HAVE TO MAKE EFFORTS

- Create Discipline in Life.
- Inject Insulin Punctually
- Eat a Balanced Diet
- Exercise Regularly
- Check Blood Sugar Periodically
- Meet your Doctor when advised

Let us look forward to the day when a cure for diabetes will be discovered.

Till then live a long, useful and happy life along with Diabetes-Make it a FRIEND



UKPDS

THE HARD FACTS

Keeping your blood pressure below 140/80 reduces your risk of death by long-term complications by a third



Type 2 diabetes is not . 'mild'

Good blood
pressure control
+
good blood glucose control
+
weight management
+
increased physical activity

reduced risk of complications

Tight blood glucose control leads to a 33 percent reduction in your chances of developing eye damage and kidney damage



At diagnosis 50 percent of

people with type 2 diabetes

show some sign of

complications



Better blood pressure control reduces your risk of serious deterioration of vision by more than a third



Nine years after diagnosis, 30 percent of people with diabetes suffer serious complications You have the greatest reduction in risk if you achieve an HbA1c of 7 percent



Ten or more years after diagnosis, people with type 2 diabetes have a two-fold greater mortality than the general population

Type 2 diabetes can be inherited - other members of your family may be at risk











AMLOO-Q. (Amlodipine) 5mg/10mg Tab.



Prediabetes and You

By Erika Gebel, PhD

Prediabetes is diagnosed when blood glucose is higher than normal but not high enough for a diagnosis of type 2 Diabetes.

Do You Have Prediabetes?

The Diabetes Prevention Program study proved that for people with prediabetes, the development of type 2 diabetes could be prevented or delayed through lifestyle changes. The National DPP will enroll adults who have been diagnosed with prediabetes based on a blood test or are at high risk for prediabetes. A body mass index over 24 (or 22 for people of Asian descent), a family history of diabetes, older age, getting little physical acitivity, and having had gestational diabetes, all increase the likelihood that a person has prediabetes and should enroll in the program.

Diagnosis Numbers


Three types of blood tests are used to diagnose diabetes and prediabetes. The A1c is a measure of average blood glucose over the previous two to three months. The fasting plasma glucose (FPG) tests your blood glucose level on an empty stomach. The oral glucose tolerance test (OGTT) measures blood glucose before and two hours after drinking a syrupy glucose solution. Here's what the test results tell you.

Diagnosis	A1C	FPG	OGTT
DIABETES	6.5% and above	126mg/dl and above	200mg/dl and above
PREDIABETES	5.7% to 6.4%	100 to 125mg/dl	140 to 199 mg/dl
NORMAL	Less than 5.7%	Less than 100mg/dl	Less than 140mg/dl

Source: Diabetes Forecast February 2012

Mission

The Mission of the Diabetic Association of Pakistan is to provide specialized Medical Care and Education to the people with diabetes.





Salika Sewing Machine Co (Pvt.) Ltd.

D-141/B, S.I.T.E. Karachi-Pakistan. Tel : 021-32581344 - 32564165 - 32025040 Fax: 021-32564165 **Branch :** 17-C, Durand Road, Lahore. Tel: 042-36304297 - 36305960

E-mail: salikasew@yahoo.com

55

سب سے پہلا معاملہ ذیا بیطس کو معمولی نہ سمجھنا ہے۔ معمولی می بڑھی ہوئی شوگر کو بھی خطرناک
سمجھیں اور اسے فوراً نارمل لانے کی کوشش
کریں۔ ایجو کیٹرس کا کام ہے کہ ان افراد کو ایساطریقہ کا ربتا ئیں تا کہ ان کی شوگر کنٹرول میں آئے اور وہ خود سے اپنی ذیا بیطس کو کنٹرول کرنا سیکھیں اور اس کے لئے طرز رہن سہن کو بدلیں اور اس پر برقر ارز ہیں ۔خود ٹلہداشتی کے بدلیں اور اس پر برقر ارز ہیں ۔خود ٹلہداشتی کے لئے مندرجہ ذیل پروگر ام تر تیب دیں۔

(i) مرض کے بارے میں مریض کی معلومات میں اضافہ کریں۔

(ii) آخیں تربیت فراہم کریں۔

(iii) مزاج اورعادات بدلیں_

ایجو کیٹرس کا کا م ہے کہ مرض میں مبتلا افراد کوعلم وآ گبی دلانے کے ساتھ ساتھ ان کو روزانہ کی زندگی میں اس پڑمل کروانا ہے اور انھیں یہ مجھانا اور بتانا ہے کہ اپنے مرض کو سمجھیں اور خود ہی نگہداشت کریں اور جب بھی مشکلات پیش آئیں رابطہ کریں۔ فیابیطس کا کنٹرول

ذیابطس کامکمل کنٹرول کروائیں۔خون میں گلوکوز کے ٹییٹ کرواتے رہیں تا کہ گلوکوز کی سطح کاعلم رہے۔اخصی آگاہ کریں کہ ذیابیطس

تنٹرول میں رکھ کر آپ ذیا بیطس کی ممکنہ پیچید گیوں خصوصاً گردے، دل اور دیگرامراض

مے محفوظ رہ سکتے ہیں یا بیتا خیر سے لاحق ہو سکتے ہیں۔ انھیں آگاہ کریں کہ سالانہ کو نسے ٹیسٹ ہیں جن کو کروا کر ان مسائل سے باخبر رہ سکتے ہیں۔ ذیا بیطس کی ممکنہ پیچید گیوں سے بچاؤ کا موضوع ایجو کیٹرز اور ذیا بیطس میں مبتلا افراد کے درمیان اہمیت کا حامل ہونا چاہیئے۔ انسولین کا استعمال

ذیا بیلس قتم اول کی تشخیص ہے ہی ان افراد كاعلاج انسولين بيجبكه ذيابطس فتم دوم میں مبتلا افراد کو کچھ عرصہ کے بعد انسولین انجکشن پر آنا پڑتا ہے۔ ایجو کیٹرس کی اہم ذمہ داری ان کوانسولین انجکشن کے استعال کے بارے میں تعلیم وتربیت دینی ہے اور مختلف مواقع پراس میں ردوبدل کے بارے میں آگاہ کرنا ہے۔ اگر انسولین لگانے والے افراد بہت ہی حچھوٹی عمر کے ہیں توان کی دیکھ بھال کرنے والے افراد کو تربیت دینی ہے اور سمجھ دار ہونے کے بعد ذیابطس میں مبتلا افراد کوخود انجکشن لگانے کے بارے میں بتانا ہے۔ ذیا بیطس قتم دوم میں مبتلا افراد کو جب انسولین کی ضرورت پڑتی ہے تووہ لیتے ہوئے گھبراتے ہیں ایجوکیٹرس کو انھیں سمجھانا ہے اور ذیا بیطس کے کنٹرول میں نہ ہونے کی وجہ سے مختلف بیچید گیوں کے امکانات کو واضح کرنا ہے تا کہ وہ انجکشن کے کئے آ مادہ ہوجائیں ۔ ذیابطس کی نگہداشت میں عام افراد میں عموماً لیکن انسولین انجکشن لینے

والے افراد میں خصوصاً نظم وضبط کی پابندی یقینی بنانا بھی ان کی ذمہ داری ہے۔ طرز رہن مہن میں تبدیلی

ذیابطس میں مبتلا افراد کوطرز رہن سہن میں تبدیلیاں لانے کے لئے ایجو کیٹرس کی ذمہ داری ہوتی ہے کہ وہ اضیں اس کے فوائد سے آگاہ کریں۔ان کی ہرممکن مدد کریں۔ان کے لئے سپورٹ گروپ تشکیل دیں اوران میں ان کی شمولیت بقینی بنائیں۔

ذیابی و راجتا کی دونوں طرح ہے کی جاستی انفرادی اور اجتماعی دونوں طرح ہے کی جاستی ہے۔ چونکہ انفرادی سطح پراخراجات بڑھ جاتے ہیں اور اکثر ممالک میں غربت کی وجہ ہے ہیں اور اکثر ممالک میں غربت کی وجہ ہیں ہیں لہذا اجتماعی (گروپ) تعلیم وتربیت بہتر ہے۔ نہ صرف ذیابیطس میں مبتلا افراد ہی تعلیم وتربیت کے مستحق ہیں بلکہ فیملی میں موجود افراد کو بھی علم وآگی وینا ضروری ہے تاکہ وہ عمد ہ طریقہ سے اپنے گھر والوں کی دکھے بھال کر سکیں۔ چونکہ یہ مرض موروثی ہوتا ہے لہذا مرض سے محفوظ رہنے کے لئے احتیاطی مرض سے محفوظ رہنی یا لاحق ہونے میں تدابیر بتانا پڑتا ہے تاکہ ذیابیطس کا مرض لاحق ہونے میں تاخیر کر سکیں۔

ذیا بیطس کی تعلیم ایک مستقل اور تاحیات عمل ہے۔

کے بارے میں العلمی اور لا پروائی ہے لہذا ایسے افراد کے علاج کی طرف سے لا پروائی برتی جاتی ہے اور تندہی سے علاج نہیں کیا جاتا ۔ اسکے علاوہ ذیا بیطس قتم دوم میں مبتلا افراد جب بذریعہ دئن ادویات سے گلوکوز کی سطح ناریل نہیں کریاتے تو انسولین انجلشن تجویز کرنے میں لیل ولعت سے کام لینایا مریض کا انکاری ہونا بھی عام ہے۔ اگران افراد کو بہتر طریقہ سے ہونا بھی دلائی جائے تو یہ افراد انسولین انجکشن لینے کے لئے تیار ہوسکتے ہیں یا علاج معالج کرنے والے افراد مرض کی شدت کو سجھتے ہوں تو مریض کو انسولین لینے پرقائل کرسکتے ہیں یہ سب پچھ مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن مرض کے بارے میں علم وآ گئی سے ہی ممکن

ذیابطس کی مکنہ پیچید گیوں سے بچنا ہے تو مرض پر کنٹرول کے ساتھ ساتھ معلومات کاذخیرہ بھی اکٹھا کرنا ہے

شدت اور پیچید گیول سے بچاتا ہے۔

اگرذیابطس کاعلاج کرنے والے افراد مریض سے بیہ کہیں گے کہ ڈیابطس قتم دوم دوسرے امراض کے مقابلہ میں ایک معمولی مرض ہے تو مریض علاج کو اہمیت نہیں دے گا اور نہ ہی وہ اپنا طرز رہن سہن بدلے گا اور بیاس وقت زیادہ اہمیت اختیار کرجا تا ہے جب معمولی

ی پیچیدگی ظاہر ہوجاتی ہے۔ لہذا ایسے افراد کو بہت ہی پیار ومحبت اور نفسیاتی طریقہ سے نہ صرف بروقت علاج اور عدہ طرز رہن سہن کی طرف راغب کرنے کی ضرورت رہتی ہے بلکہ انھیں یہ بھی بتانا پڑتا ہے کہ مرض کو معمولی نہ سمجھیں اور معمولی سی بڑھی ہوئی شوگر کو فوراً کنٹرول کریں۔

(iii) افراجات

ذیابیطس کے مرض کی دیکھ بھال کے مرف کی دیکھ بھال کے پڑتے ہیں۔ گلوکومیٹر کی تیلیاں بڑی مہنگی پڑتی ہیں، اس کے علاوہ انسولین انجکشن اور ادویات بھی مہنگے ہوتے ہیں۔ اگر ایجو کیٹرس کی خدمات کی جا کیس تو مزید اخراجات کا بوجھا ٹھا نا پڑتا ہے۔ لہذا علم وآ گہی اور تربیت کے لئے ان افراد سے استفادہ نہیں کیا جاسکتا۔ اس کے علاوہ اگر طویل فاصلہ طے کرنا ہوتو نہ ہی اتنا وقت ہوتا ہے اور نہ ہی اتنا پیسے کہ اخراجات برداشت کرسکیس اور نہ ہی اتنا پیسے کہ اخراجات برداشت کرسکیس اس طرح ایجو کیٹرس کی طرف سے رہنمائی ممکن اس طرح ایجو کیٹرس کی طرف سے رہنمائی ممکن نہیں رہتی۔

ذیابیطس کی گلہداشت کرنے والے عملہ میں ایجو کیٹرس کی کمی یا اٹکی تربیت بھی اہم مسئلہ ہے ۔ جس کی بڑی وجہ وسائل کی کمی اور /یا ٹریڈنگ کے لئے سہولیات کی عدم فراہمی ہے۔

لہذاایے وسائل تلاش کرناچاہئیں کہ ایجو کیٹری کی خدمات حاصل ہوسکیں۔ مشکلات پرقابو پانے کے ذرائع (i) فراہمی تعلیم وتربیت

قومی سطح پرایسے قوانین وگزارشات بنائے جائیں جس کے تحت ان مشکلات کوختم کرکے ذیا بیطس میں مبتلا افراد کے لئے بہتر سے بہتر علاج کے طریقہ وضع ہوں۔قومی اور عالمی سطح پرمختلف اداروں سے اشتر اک کرکے ان سے مختلف فتم کے لئر پچراورٹرینگ کے لئے ان سے مختلف فتم کے لئر پچراورٹرینگ پروگرام میں مددلی جائے۔

(ii) ذیابطس کے مرض کو معمولی نہ جھنا

ذیابیطس کی مختلف تنظییں ذیابیطس کے مختلف تنظیمیں ذیابیطس کے موالہ سے ذیابیطس کے علاج پرمعمور مختلف افراد مثلاً فیملی فزیشنز ، نرمز ، ادویات کے بارے میں جانے اور ذیابیطس کی دیکھ بھال کرنے واے دیگر افراد کو زیادہ سے زیادہ علم وآ گہی دیں تا کہ یہ افراد ذیابیطس کو معمولی نوعیت کا مرض نہ جھیں بلکہ فیابیطس کو معمولی نوعیت کا مرض نہ جھیں بلکہ وقتاً مزید معلومات فراہم کرتے رہنا حالیہ کے

خاص معاملات جنہیں ذیا بیطس کے بارے میں تعلیم سے حل کرنے کی ضرورت

طریقه سکھانا ہے۔خودنگہداشتی طریقه علاج میں ان افراد کوغذا، فکرویریشانی اوراد ویات کےخون میں گلوکوز کی سطح پر بڑنے والے اثرات کے بارے میں بتایا جاتا ہے تا کہ وہ ان مواقع برخود ہے ان میں ردو بدل کرکے اپنی ذیابطس کو کنٹرول میں رکھ سکیں۔ زیابطس کے طریقہ علاج میں انھیں ذیابطس کی تگہداشت کے حوالے سے تعلیمی موادمہیا کیا جاتا اور تعاون کی یقین د ہانی کرائی جاتی ہے تا کہ وہ بہتر سے بہتر ِطریقہ سے اپنی ذیا بطِس کی دیکھ بھال کرسکیں۔ اب ذیابطس کے بارے میں ایجو کیٹر کا کام صرف '' ماہر'' تک ہی محدود نہیں رہ گیا کہ وہ صرف معلومات فراہم کرے بلکہ ان متاثرہ افراد کے ساتھ تعاون کرکے انھیں عملی طور پر ذيابطس كے طريقه علاج اور موقع كى مناسبت سے ردو بدل کے بارے میں بتا نتیں۔

ڈایا بیٹیس ایجو کیٹرس اب صرف ایک ہی محاذ پر نہیں بلکہ مختلف محاذوں پر مقابلہ کرنا سکھاتے ہیں لہٰذا ان کا کام اب سخت مرحلہ ہیں داخل ہوگیا ہے۔ انھیں علاج کے طریقہ بتانے کے ساتھ ساتھ مرض کے بارے میں جدید معلومات کی فراہمی اورنفیاتی طریقے بھی بتانے پڑتے ہیں۔ ذیا بیٹس کے بارے میں خود بتانے کر ایڈس کے بارے میں خود کا مہٰدا شی طریقہ علاج ہے بھی آگاہ کرنا پڑتا ہے اور ان کے ساتھ تعاون اور مشاورت کا سلسلہ اور ان کے ساتھ تعاون اور مشاورت کا سلسلہ اور ان کے ساتھ تعاون اور مشاورت کا سلسلہ

قائم رکھنا پڑتا ہے۔ چونکہ ذیا بیطس کی تشخیص کے مرحلہ سے لے کر زندگی کے مختلف مراحل (مثلاً اسکول وکالج میں داخلہ ،نوکری، شادی وغیرہ) طے کرتے ہوئے جن بھی تبدیلیوں سے سابقہ پڑتا ہے ان سے نبرد آزما ہونے کے طریقہ سے آگاہ کرنا اور کمل تعاون جاری رکھنا پڑتا ہے۔ ڈایا بیٹس ایجو کیٹرس کون ہیں؟

یے سرف ایک مخصوص عہدہ نہیں ہے بلکہ ایجو کیٹرس میں نرسز ، ماہر اغذیہ و ادویات اور فلاحی ادارے کے کارکن بھی شامل ہیں۔معالج ، ماہر نفیات اور فزیو تھراپیٹ بھی ایجو کیٹرس کہلاتے ہیں بشر طیکہ وہ ذیا بیطس کے بارے میں دلچیبی اور معلومات رکھتے ہوں۔عام افراد جوذیا بیطس کے بارے میں علم وآ گہی اور طریقہ علاج جانتے ہیں وہ بھی ایجو کیٹرس کہلاتے علاج جانتے ہیں وہ بھی ایجو کیٹرس کہلاتے

ذیابیطس میں مبتلا افراد کو ذیابیطس کے مرض کے بارے میں تعلیم وتربیت کی ضرورت ہر سیبتال میں رہتی ہے چاہے وہ سرکاری ہویا غیر سرکاری تاہم مخصر ہوتا ہے کہ یہاں ان کی کتنی ضرورت ہے اور کتنے وسائل ہیں جووہ انکا خرچ برداشت کر کیس۔

ایجو کیٹرس کی راہ میں حائل دشوار بال ہر ملک میں اور ملک کے بعض حصوں

میں مختلف قتم کی دشواریاں ہوتی ہیں۔شہری اور دیمی علاقوں کے اپنے مسائل ہیں ۔ تاہم کچھ اہم مسائل ایسے ہیں جو ہر جگہ تقریباً ایک جیسے ہیں مثلاً تعلیم وتربیت کی فراہمی ، مرض کو سمجھنا اور ذیا بیطس کی تعلیم پر ہونیوالے اخراجات (i) تعلیم وتربیت کی فراہمی

مرض ذیابطس کے بارے میں تعلیم وتربیت دینے والے ایجو کیٹرس کا سخت فقدان ہے ۔ بعض ممالک کے شہری علاقوں میں 40۔30 فیصدافرادا یجو کیٹرس سے استفادہ کرتے ہیں جبکہ دیہی علاقوں میں بیصفر ہے۔ اسکے علاوہ دیہی علاقوں میں رہنے والے افراد کے لئے شہروں میں آنامشکل اور مہنگا پڑتا ہے۔

ذیابطس میں مبتلا افراد کی تعداد میں تیزی سے اضافہ اور علاج کے اخراجات کی وجہ سے بھی ایجو کیٹرس کی تعداد میں اضافہ ممکن نہیں۔

(ii) ذیا بیطس کے مرض کواہمیت ندوینا

ذیابیطس کے مرض کو معمولی سمجھنا عام بات ہے۔علاج فراہم کرنے والے افراد کا کہنا کہ آ بکی شوگر معمولی ہی بڑھی ہوئی ہے بس ذرا کھانے پر توجہ دیں اور پر ہیز سخت کریں یا ہے کہنا کہ ذیابیطس بارڈرلائن پر ہے یا انتہائی کم درجہ کی ذیابیطس ہے۔ بیسب سمجھنے کا مطلب ذیابیطس

ذیا بیطس کے مرض میں تعلیم وتر بیت کی اہمیت

ڈاکٹر وکیل عابدی میڈیکل آفیسر ڈایا پیک ایسوی ایشن آف یا کستان

ذیا بیطس کے بارے میں تعلیم کی اہمیت ﷺ ذیا بیطس کے بارے میں تعلیم کوطریقہ علاج میں پہلے نمبر پررکھا گیا ہے۔ ﷺ ذیا بیطس کے بارے میں تعلیم دینے کے اہم مقاصد میں اس مرض کے بارے میں زیادہ

اہم مقاصد میں اس مرض کے بارے میں زیادہ اہم مقاصد میں اس مرض کے بارے میں زیادہ سے زیادہ معلومات فراہم کرنا ،ان معلومات کے نتیجہ میں تبدیلی لانا تا کہ مرض میں مبتلا افراد این گلہداشت میں خود بھی شریک ہوں۔

ذیابطس کی تعلیم وتربیت میں ایجو کیٹرس (ذیابطس کے بارے میں تعلیم دینے والے افراد) کا کام ذیابطس کے مرض میں مبتلا افراد کو مرض اوراس کے طریقہ علاج کے بارے میں علم آگہی دلانا ہے۔

ذیابطس کے بارے میں تعلیم دیے میں اکثر ممالک میں کچھ نہ کچھ رکاوٹیں ہوتی ہیں جس جس میں کھی نہ کچھ رکاوٹیں ہوتی ہیں جن میں خاص طور پرنا خواندگی تعلیمی مراکز کی کمی ، مرض کے بارے میں لاپرواہی برتنا، اسکے بارے میں نہ جاننے کی کوشش کرنا اورتعلیم پراخراجات شامل ہیں۔

چونکہ ذیابطس کی شرح میں تیزی سے
اضافہ ہور ہا ہے اور ذیابطس کے بارے میں
تعلیم دینے واے افراد کی کمی کا سامنا ہے لہذاان
افراد کی تعداد میں اضافہ ضروری ہے۔

عالمی ادارہ ذیا بیطس کے مطابق ذیا بیطس کی تعلیم کو اسکے علاج میں مرکزی اہمیت حاصل ہے۔

ذیابیطس کے بارے میں تعلیم کی ضرورت ذیابیطس کے بارے میں تعلیم وتربیت اس دور میں کافی اہمیت اختیار کرگئ ہے، حالانکہ 1921ء میں انسولین کی ایجاد سے پہلے بھی تعلیم دی جاتی تھی ۔ طویل عرصہ کے تجربات اور مشاہدات کے بعد ذیابیطس کی تعلیم صرف کیا کرنا ہے اور کیانہیں کرنا ہے؟ ہی تک محدود نہیں رہ گئ بلکہ اس سے بھی اور زیادہ ہے۔

ذیابطس کے بارے میں تعلیم وتربیت کے مقاصد میں ذیابطس میں بنتلا افراد کی عادات کوبدلنا اوران کوخود ہے بہتر تگہداشت کا

ذیابطس کے مثبت پہلو خون میں شکر کے اچھے کنٹر ول کے فوائد

🖈 چاق وچو بنداورخوش وخرم رکھنا ہے۔

🖈 اسکول اورامتخانات میں بہترین کارکردگی رہتی ہے۔

🖈 کھیل کودمیں بھر پورطریقہ سے حصہ لے سکتے ہیں بلکہ انعامات بھی حاصل کر سکتے ہیں۔

الم اوروزن میں مناسب اضافہ ہوتار ہتا ہے۔

🖈 وزن میں غیرضروری اضافہ سے پچ سکتے ہیں

این معمولات سیروتفری کھیل کوداور پڑھائی ہے محفوظ ہو سکتے ہیں۔

اچھی صحت برقر اررہتی ہے

الهذاعهد كرنام كهم انني ذيابطس كوبهترطريقه يكنظرول كزنے كى كوشش كريگے۔



ذیابطس کے دوستو



ایناخال رکھے اور ہمیشہ مسکراتے رہے۔

آج ہم ذیا بیطس کے روش پہلوؤں کے بارے میں بات کرینگے۔ آپ کو بالکل ضرورت نہیں کہ آپ ایٹ ان دوستوں کو جنہیں ذیا بیطس کا مرض نہیں ہے کے درمیان کوئی فرق محسوں کریں۔ آپ استے ہی چست وتوانار ہیں گے جتنا کوئی اور بچ لیکن شرط ہیہ ہے کہ اپنی ذیا بیطس کو کنٹرول میں رکھیں ۔ ہمیں انسولین کا عطیہ ملا ہے جس سے ذیا بیطس میں مبتلا افراد کی زندگی نارمل رہتی ہے۔ کھانے پینے کا بھی پر ہیزاب اتنا سخت نہیں رہا اور کھانے پینے کے معاملہ میں کافی اشیاء کی اجازت مل گئ ہے، بس ذرا احتیاط سے رزندگی پہلے سے زیادہ با اصول ہوجاتی ہے جو کہ اچھی صحت کی صانت ہے۔ آپ پڑھیں، کھیلیں، کھائیں پئیں اور آرام کریں۔ اصول ہوجاتی ہے جو کہ اچھی صحت کی صانت ہے۔ آپ پڑھیں، کھیلیں، کھائیں پئیں اور آرام کریں۔ چھٹیوں میں آپ کہیں بھی جاسکتے ہیں یا گھر میں رہتے ہوئے اپنے معمولات جاری رکھ سکتے ہیں۔ زندگی ذیا بیطس کے ساتھ بہت اچھی گزرتی ہے۔ اپنا خیال رکھے اور زندگی بحر پور طریقہ سے گزار ہے۔ روز مرہ کے معمولات، انسولین، کھانے، کھیل کو داور آرام تمام چیزوں کو مساوی حیثیت و تجھے اور گزار نے ہوئے کو نام تمام چیزوں کو مساوی حیثیت و تجھے اور کا میں تھوں جنون میں گلوکوز کی جانچ کرنا ہرگزنہ نو ہولیے کیونکہ بھانتہائی ضروری ہے۔

نیک تمناؤں کے ساتھ آپکاانکل



Powerful and proven efficacy

Trulicity 1.5 mg was the first once-weekly GLP-1 receptor agonist to achieve noninferiority to liraglutide 1.8 mg in HbA1c reduction^{1,2}





Trulicity is the only GLP-1 receptor agonist that combines:



Unbeaten HbA1c reduction in 6 head-to-head trials¹



Once-weekly dosing1



Ready-to-use pen²

• Patients were on metformin as background therapy • Primary endpoint met: noninferiority of Trulicity 1.5 mg vs liraglutide 1.8 mg in HbA1c reduction from baseline to 26 weeks [-1.42% vs -1.36%, P<.001 for noninferiority] *Number of injections was not a study endpoint

References

- 1. Trulicity (dulaglutide once weekly) [Summary of Product Characteristics]. Houten, The Netherlands: Eli Lilly and Company; 2018
- Dungan KM, Povedano ST, Forst T, et al. Once-weekly dulaglutide versus once-daily liraglutide in metformin-treated patients with type 2 diabetes (AWARD-6): a randomised, open-label, phase 3, non-inferiority trial [published correction appears in Lancet. 2014;384:1348]. Lancet. 2014;384:1349-1357.
- 3. Trulicity (dulaglutide once weekly) [Instructions for Use]. Houten, The Netherlands: Eli Lilly and Company; 2017.

اداربي

ذیابیس ایک تاحیات رہنے والا مرض ہے۔اس مرض میں وراثت کا بڑا عمل دخل ہے اور خاندان کے ٹی افراداس مرض کا شکار ہوسکتے ہیں۔اس مرض کی بڑھتی ہوئی شرح اور مکن پیچید گیوں،معذوری قبل از وقت اموات اور مالی ہو جھ سے محفوظ رہنے کی بڑھتی ہوئی شرح اور مکن پیچید گیوں،معذوری قبل از وقت اموات اور مالی ہو جھ سے محفوظ رہ کے لئے ذیا بیلس کے مرض کے بارے میں علم وآ گہی کو عام کرنا ہے تا کہ اشخاص اور خاندان مرض یا ممکنہ پیچید گیوں سے محفوظ رہ کرا یک معیاری سطح کی زندگی بسر کرسکیس۔

ذیابیطس کاعالمی دن پوری دنیا میں ہرسال 14 نومبر کومنایا جاتا ہے تا کہ عوام الناس کواسکے بارے میں زیادہ سے زیادہ آگاہ کریں اوراس عہد کی تجدید

کریں کہ ذیابیطس کے خاتمہ کے لیے ہمیں جدو جہد جاری رکھنی ہے تا کہ اس موذی مرض کی شرح میں کی ہواور خاندان و ملک پر معاثی ہو جھ نہ پڑے۔ ہرسال

ایک موضوع فتخب کیا جاتا ہے اور اسکے حوالہ سے زیادہ سے زیادہ گفتگو کی جاتی ہے۔ سال 2018 و 2019 کا موضوع '' ذیابیطس اور خاندان' ہے۔ چونکہ یہ

مرض خاندانی ہوتا ہے لہٰذانہ صرف انفرادی طور پر بلکہ پورا گھر متاثر ہوتا ہے۔ ذیابیطس میں مبتلا ہر دوافراد میں سے ایک فرداس مرض سے لاعلم رہتا ہے لیعنی اسکی

مرض خاندانی ہوتا ہے لہٰذانہ صرف انفرادی طور پر بلکہ پورا گھر متاثر ہوتا ہے۔ ذیابیطس میں مبتلا ہر دوافراد میں سے ایک فرداس مرض سے لاعلم رہتا ہے لیعنی اسکی موسلی تعنیں ہو پاتی اگر آفھیں بروفت تشخیص کرلیا جائے تو ذیابیطس قتم دوم سے محفوظ کر سکتے ہیں یا پیچید گیوں سے بچاسکتے ہیں چونکہ خاندان کے دیگر افراد کو بھی ذیابیطس ہوسکتی ہے لہٰذاان کواس مرض کے بارے میں آگاہ کرنا ہے تا کہ وہ وقاً فو قاً اپنے ٹسٹس کرواتے رہیں اسکے علاوہ پورے گھر انہ کوچا ہے کہ وہ عمدہ طرز رہن ہیں پیٹی روزانہ کھیل کودوورزش ، موزوں ومناسب مقدار کا کھانا اور نظرات و پریشانی سے آزاد زندگی۔

ذیابیطس ایک مہنگام ض ہے لہذا پورا گھر اس سے متاثر ہوتا ہے اور آمدنی کا خاصہ بڑا حصہ اسکی نذر ہوجا تا ہے لہذا مالی پر بیٹانیوں سے محفوظ رہنے کے نصرف ذیابیطس کی جلد تشخیص بلکہ ذیابیطس میں مبتلا افراد کو پیچید گیوں سے بھی محفوظ رکھنا ضروری ہے ۔ طبی گلہداشت کرنے والے اوارے اور حکومت پر ذمہداری عائد ہوتی ہے کہ وہ عوام میں اس مرض کے بارے میں آگا ہی عام کریں اور سلسل جاری رکھیں ۔ عوام کو بہتر ماحول ، بہتر بن صحت کے مراکز ، کھیل کو و کے میدان اور فلاح و بہبود کے مراکز کی فراہمی شروری ہے ۔ ذیابیطس میں مبتلا افراد کے لئے ستے اورا چھے علاج کی فراہمی بیتی بنائیں تا کہ بیافراد ایک صحتمند اور خوش وخرم زندگی بسر کریں ۔ اس سے نہ صرف خاندان بلکہ ملک کی بھی پریشانیوں اور مالی ہو جھ میں کی آئیگی لہذا اس دن کی مناسبت سے جہد کریں کہ سب لوگوں کوا پی اپنی ذمہداریاں نبھانی ہیں بلکہ اس عمل کو سلسل جاری رکھنا ہے تا کہ خاندان اور ملک خوشحال رہے ۔

دُاپِ بِبِی ایشن آف پاکستان (قام کرده۲۲۹۱ء)

اِنٹرنیشنل ڈایا بیٹس فیڈریشن برسلز، بلجیئم سے الحاق شدہ

ڈ ایابیٹک ایسوسی ایشن آف پاکستان میں، ذیابیٹس کے مریضوں کی دیکھ بھال کیلئے آٹھ ماہر ڈاکٹروں، دوڈائیٹشن، ایک ڈ ایابیٹک ایجو کیٹر، بائیو کیمسٹ اور ماہر لیبارٹری ٹیکنیشنز کی خدمات حاصل کی گئی ہیں۔ نیز ایسوسی ایشن میں ضروری سازوسامان سے کیس لیبارٹری بھی موجود ہے۔

مریضوں کیلئے سہولتیں

- ذیابطس کے بارے میں کمل مشورہ اور معلومات۔
 - كمل طبتي معائندا ورتشخيص
- جدید آلات سے لیس لیبارٹری میں خون و پیشاب کے ٹیسٹ اور خون کے دیگر تمام ٹیسٹ
 - ای جی (ECG) کی سہولت
 - ذیابطس کی وجہ سے پیدا ہونے والے زخموں کی دیکھ بھال اور مرہم پٹی۔
 - پاؤل كى ئىهداشت كاكلينك
 - مستحق مریضوں میں دواؤں کی مُفت فراہمی اور مُفت خون و پیشاب ٹیسٹ
 - ذیابیطس سے متعلق آئکھوں کا ہسپتال وکلینک

ڈایابیٹک ایسوسی ایشن آف پاکستان مستقبل و منصوبے

- ذیا بیطس کے مریضوں کیلئے ہسپتال کا قیام۔
 - لیبارٹری میں توسیع
 - ريسرچ و خقيق مين توسيع

ڈ ایا ہیٹس ڈ انجسٹ نومبر ۱۰۰۷ء



مدىراعلى : پروفيسراك صدشيرا مدىرا كالى : داكٹرسپدوكيل مسين عابدى

اس شارے میں صفحہ نمبر

الس شارے میں

اداریہ

اداریہ

پول کاصفحہ

دیا بیطس کے مرض میں تعلیم وتر بیت کی اہمیت

(ڈاکٹروکیل عاہدی)

تفسیلات: و ایابیطک ایسوسی ایشن آف یا کستان ۵-ای/۳،ناظم آباد-کراچی ۲۸۲۰۰

نون : ۱۹۸۰۱۲۲۳،۹۵۹،۸۲۲۳،۱۲۸۹

فیس : ۹۲۲۲،۳۲۲۸۰۹۵۹

dapkhi@cyber.net.pk,: ای میل

dapkarachi@gmail.com

ويب سائث :www.dap.org.pk

د ایابیک ایسوسی ایشن آف یا کستان عهد بداران الهي بخش سومرو ميال مختاراحمه حامدامتياز حنفي عبدالستارا بوبكر برديبي عبدالستارعثان - سیریٹری جنزل -بروفيسرا يصدشيرا (تمغهُ امتياز، ستارهُ امتياز) - جوائنٹ سیکریٹری -بروفيسر عبدالباسط باشمعثان





